


Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



25B249
A3
Cop. 2

5

COTTON VARIETIES PLANTED 1968 - 1972



US DEPT. OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
PROCUREMENT SECTION
CURRENT SERIAL RECORDS

142-10-74

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service Cotton Division
Memphis, Tennessee
August 1972

CONTENTS

<u>Table No.</u>		<u>Page No.</u>
	Introduction	1
	Leading Varieties.	1
	Map of Smith-Doxey Cotton Classing Office Territories.	2
1.	Average fiber test results for varieties of cotton grown commercially in the United States, crop of 1971.	3
2.	Varieties by states and United States, crop of 1972.	4
3.	Varieties by states	
	North Carolina, South Carolina, Georgia, Florida, Alabama.	5
	Mississippi, Tennessee, Missouri, Arkansas, Louisiana.	6
	Oklahoma, Texas, New Mexico, Arizona, California	7
	Varieties by classing office territories and by counties	
4.	Raleigh Classing Office.	8
5.	Columbia Classing Office	9
6.	Augusta Classing Office.	10
7.	Atlanta Classing Office.	11
8.	Birmingham Classing Office	12
9.	Montgomery Classing Office	13
10.	Greenwood Classing Office.	14
11.	Jackson Classing Office.	15
12.	Memphis Classing Office.	16-17
13.	Hayti Classing Office.	18
14.	Blytheville Classing Office.	18
15.	Little Rock Classing Office.	19
16.	Winnsboro Classing Office.	20
17.	Alexandria Classing Office	20
18.	Altus Classing Office.	21
19.	Dallas Classing Office	22
20.	Austin Classing Office	23
21.	Corpus Christi Classing Office	24
22.	Harlingen Classing Office.	24
23.	Abilene Classing Office.	25
24.	Lubbock Classing Office.	26
25.	El Paso Classing Office.	27
26.	Carlsbad Classing Office	28
27.	Phoenix Classing Office.	29
28.	Fresno Classing Office	29
29.	Bakersfield Classing Office.	30
30.	El Centro Classing Office.	30
31.	Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, 1968-1972.	31
32.	Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing office territories, crop of 1972.	32

Cotton Varieties Planted, United States
1968-1972

Estimates of the percentages of the various varieties of cotton planted in the United States in 1972, by counties, Smith-Doxey cotton classing office territories and states are presented in this report. Comparative variety data for the four years 1968-1971 are shown by states. The variety data presented in this bulletin are based primarily on estimates furnished by cotton ginners for the territories served by their gins. Supplemental information is obtained from others closely related with cotton farming in their respective areas, such as seed breeders, seed dealers, farmers and county agents. These estimates should serve as reliable guides as to the geographic distribution of various varieties grown throughout the Cotton Belt.

Three general varieties - Deltapine, Stoneville and Acala - account for nearly two-thirds of the cotton acreage planted this season. A percentage distribution of the six leading varieties planted in 1972, with comparisons for the four preceding years, is shown in the table at the foot of this page. All strains of each particular variety are combined for the purpose of this comparison.

Deltapine remains the leading variety of cotton planted in the United States for the fourth consecutive year. Twenty-nine percent of the total 1972 acreage was planted to Deltapine compared with 26 percent a year earlier. This variety is planted throughout the Cotton Belt and is the top choice of farmers in Arizona, Louisiana, Mississippi and Tennessee. Deltapine 16, the major Deltapine strain, continues to gain in popularity and it now comprises 28 percent of the total United States cotton acreage.

Stoneville continues as the second leading variety planted this year. The acreage planted to Stoneville is estimated at 24 percent against 21 percent a year ago. Stoneville is the most popular variety in Arkansas and Missouri and is tied for first place with Deltapine in Alabama. Stoneville 213, the predominating Stoneville strain, represents 22 percent of the total acreage planted this year.

Acala, the third leading variety, accounts for 12 percent of the total acreage planted compared with 13 percent last year. Acala is the major variety planted in California and New Mexico. Acala SJ-1 is the favorite Acala strain in California while the 1517 strains are the most popular in New Mexico.

Lankart is the fourth leading variety of cotton planted this year. The acreage planted to Lankart is estimated at nine percent of the total acreage compared with 10 percent a year earlier. Lankart remains the farmers' favorite variety in Texas and Oklahoma.

Coker maintains its position as the fifth leading variety. Estimates indicate that this variety represents eight percent of the total 1972 acreage, the same percentage as a year ago. Coker remains the number one choice of farmers in Georgia, North Carolina and South Carolina.

Paymaster is the sixth leading variety planted this year. This variety accounts for three percent of the total against five percent last year. Paymaster continues to hold its place as the second most popular variety in Texas.

Pima S-4 continues as the leading strain of American Pima cotton planted in the United States for the fifth successive year, accounting for 89 percent of the total 1972 American Pima acreage. This compares with 76 percent a year earlier and 80 percent two years ago. Pima S-4 remains the principal strain in each of the three American Pima producing states - Arizona, New Mexico and Texas.

Estimated percentage of cotton acreage planted to specified varieties, United States, 1968-1972

Year	Acala	Coker	Delta-pine	Lankart	Pay-master	Stoneville	Other	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
1968	21	8	19	9	7	21	15	100
1969	17	6	26	11	6	17	17	100
1970	15	7	28	9	6	21	14	100
1971	13	8	26	10	5	21	17	100
1972	12	8	29	9	3	24	15	100

UNITED STATES

Smith-Doxey Cotton Classing Office Territories




Table 1. Average fiber test results for varieties of cotton grown commercially in the United States, crop of 1971 1/

Variety	Sampling offices	Lots tested	Staple length	Micro-naire 2/	Fiber strength 3/		Fiber length 4/	50/2.5 uniformity
					Zero gage	1/8"-gage	2.5% span	
	No. 1	No. 3	32d in. 29	Rdg. 3.0	Mpsi 83	G/tex 20	In. 0.87	Pct. 45
Gregg 35								
Anton 99	1	3	30	5.2	84	21	0.95	46
Blightmaster A-5	1	3	30	3.2	76	20	0.90	45
Lankart 57	8	22	30	4.3	78	20	0.97	44
Lankart 611	3	8	30	3.7	80	20	0.95	44
Paymaster 18	1	3	30	3.0	78	19	0.93	45
Paymaster 111	3	9	30	2.9	80	21	0.96	44
Paymaster 202	1	3	30	2.9	82	22	0.91	46
Rilcot 90	1	3	30	2.8	83	20	0.85	45
Stripper 31	3	9	30	3.0	79	20	0.92	43
Western Stormproof	1	3	30	3.0	76	20	0.95	44
Lankart IX-571	3	8	31	4.7	80	20	1.00	45
Lankart 3840	1	2	32	5.1	92	22	1.00	46
Lockett 4789A	2	6	32	3.4	82	22	1.03	44
Coker 4104	1	3	33	3.0	80	22	1.07	43
McNair 1032B	1	3	33	4.8	84	23	1.04	47
Coker 201	7	22	34	4.5	77	21	1.07	44
Deltapine 45A	3	9	34	4.2	80	22	1.07	45
Dixie King II	5	16	34	4.4	79	21	1.04	45
Lockett BXL	1	3	34	3.9	86	23	1.07	46
Rex Smooth Leaf	1	3	34	4.4	79	21	1.06	45
Stoneville 7A	5	15	34	4.6	86	22	1.08	45
Stoneville 213	23	69	34	4.5	81	22	1.08	45
TPSA 110	1	3	34	4.5	89	21	1.07	44
Acala 4-42	2	6	35	4.0	97	27	1.11	46
Auburn M	1	3	35	3.9	79	22	1.10	44
Brycot 4	1	3	35	4.5	88	22	1.13	44
Coker 417	3	11	35	4.1	81	23	1.13	44
Deltapine 16	30	89	35	4.2	80	22	1.11	44
McNair 511	1	3	35	4.4	81	22	1.06	46
McNair 1032	1	4	35	4.2	84	23	1.06	46
Rex SL-66	1	3	35	4.0	81	21	1.11	46
TH-149	1	2	35	4.2	80	23	1.10	45
Acala SJ-1	10	30	36	4.1	99	28	1.15	46
Coker 310	6	19	36	4.3	80	22	1.15	43
Acala 1517C*	2	6	37	3.7	89	26	1.16	44
Acala 1517V*	3	9	37	3.6	91	26	1.18	45
Acala 1517-70	2	6	37	3.5	93	25	1.15	43

* Each of these two varieties includes 3 lots of roller ginned cotton.

1/ Compiled from "Summary of Cotton Fiber and Spinning Test Results, Crop of 1971", USDA, AMS, Cotton Division, April 1972.

2/ Micronaire reading is a measure of fiber fineness and maturity. This test measures resistance of a plug of cotton to air flow.

3/ Fiber strength indicates ability of cotton fibers to withstand force or tension, and has a strong bearing on spinning utility. Zero gage fiber strength test made without a spacer between clamp jaws using Pressley flat bundle tester. 1/8" gage strength test made with 1/8" spacer between clamp jaws using Stelometer and results are adjusted to the Pressley level.

4/ Digital Fibrograph 2.5% span length indicates length spanned by 2.5 percent of the fibers when they are parallel and randomly distributed. This measure is closely related to staple length designations. Digital Fibrograph 50/2.5 uniformity ratio values indicate relative uniformity of fiber length in samples.

Table 2. Estimated percentage of cotton planted to specified varieties, by states and United States, crop of 1972

Variety	N.C.	S.C.	Ga.	Fla.	Ala.	Miss.	Tenn.	Mo.	Ark.	Ia.	Okla.	Tex.	N.M.	Ariz.	Cal.	All 1/ Other	U.S.
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Acala 4-42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	*
Acala 1517BR-2	-	-	-	-	-	-	-	-	-	-	-	*	1	-	-	-	*
Acala 1517C	-	-	-	-	-	-	-	-	-	-	1	7	1	-	-	-	*
Acala 1517D	-	-	-	-	-	-	-	-	-	-	*	2	1	-	-	-	*
Acala 1517V	-	-	-	-	-	-	-	-	-	-	*	28	*	-	3	*	*
Acala 1517-70	-	-	-	-	-	-	-	-	-	-	*	34	2	-	1	1	*
Acala 3080	-	-	-	-	-	-	-	-	-	-	*	1	-	-	-	-	*
Acala SJ-1	-	-	-	-	-	-	-	-	-	-	2	-	90	22	10	*	*
Auburn 56	-	-	*	1	*	-	-	-	-	-	-	-	-	-	-	-	*
Auburn M	-	-	2	-	*	*	3	4	*	*	-	*	-	-	-	-	*
Blightmaster A-5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	*
Brycot 4	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	*
Carolina Queen	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Coker 100A	-	*	1	-	-	-	-	-	-	-	-	-	-	-	-	-	*
Coker 201	40	53	41	7	4	-	-	-	-	-	-	-	-	-	18	4	*
Coker 310	37	32	26	10	8	1	1	-	*	*	-	*	1	-	12	3	*
Coker 413	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	*
Coker 417	-	7	6	-	6	-	-	-	-	-	-	-	-	-	-	1	*
Coker 4104	-	-	-	-	-	-	-	-	-	-	*	1	-	-	-	-	*
Coker 5110	-	-	-	-	-	-	-	-	-	-	1	1	*	-	-	-	*
Del Cerro	-	-	-	-	-	-	-	-	-	-	*	*	2	-	-	-	*
Delcot	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	*
Delcot 277	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	*
Deltapine 16	1	5	12	70	28	55	42	19	41	53	4	4	*	80	4	25	28
Deltapine 45A	-	-	2	-	*	1	*	1	1	10	-	-	*	-	-	-	1
Deltapine Smooth Leaf	-	-	-	-	*	*	-	-	-	-	*	1	3	1	-	-	*
Dixie King	-	1	-	-	-	*	-	-	-	-	-	-	-	-	-	-	*
Dixie King II	-	-	3	9	16	*	16	-	1	-	-	-	-	-	-	-	2
Dunn 56C	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	*
Empire	-	-	*	-	1	-	1	-	-	-	-	-	-	-	-	-	*
Gregg 35	-	-	-	-	-	-	-	-	-	-	-	1	2	*	-	-	*
Hancock	-	-	-	-	1	*	5	-	-	-	-	-	-	-	-	-	*
Hopicala	-	-	-	-	-	-	-	-	-	-	*	1	*	-	-	-	*
Lankart 57	-	-	-	-	-	-	-	-	-	-	62	17	2	-	-	-	5
Lankart 611	-	-	-	-	-	-	-	-	-	-	11	5	*	-	-	-	1
Lankart 3840	-	-	-	-	-	-	-	-	-	-	2	1	*	-	-	-	*
Lankart LX 571	-	-	-	-	-	-	-	-	-	-	10	10	-	-	-	-	2
Lankburn	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	*
Lockett 4789	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	1
Lockett 4789A	-	-	-	-	-	-	-	-	-	*	3	-	-	-	-	-	1
McNair 210	3	-	-	1	*	-	-	-	-	-	-	-	-	-	-	-	*
McNair 511	10	1	*	1	*	-	-	-	-	-	-	-	-	-	2	*	*
McNair 1032	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
McNair 1032B	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	*
Northern Star 5	-	-	-	-	-	-	-	-	-	-	*	2	-	-	-	-	1
Northern Star R-4	-	-	-	-	-	-	-	-	-	-	1	*	-	-	-	-	*
Paymaster 18	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	*
Paymaster 111	-	-	-	-	-	-	-	-	-	*	7	1	-	-	-	-	1
Paymaster 111A	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	*
Paymaster 202	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	*
Paymaster 909	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	1
Rex Smooth Leaf	-	-	-	4	*	4	-	*	-	-	*	-	-	-	-	4	1
Rex Smooth Leaf 66	-	-	-	-	-	-	5	3	-	-	*	-	-	-	-	-	1
Rilcot 90	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	1
Stoneville 7A	-	-	-	*	*	2	6	1	-	7	*	2	-	-	-	-	3
Stoneville 213	-	3	-	27	41	28	64	45	35	1	7	2	9	1	13	22	*
Stoneville 603	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	*
Stripper 31	-	-	-	-	-	-	-	-	-	-	7	1	-	-	-	-	2
Stroman Acala 3	-	-	-	-	-	-	-	-	-	*	1	-	-	-	-	-	*
Stroman Acala 104	-	-	-	-	-	-	-	-	-	*	1	-	-	-	-	-	*
Stroman Acala 254	-	-	-	-	-	-	-	-	-	*	3	*	-	-	-	-	*
TH 149	2	*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TPSA 110	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	*
Westburn	-	-	-	-	-	-	-	-	-	2	*	-	-	-	-	-	*
Western Stormproof	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-	1
All Other	1	*	*	-	3	2	*	*	1	*	1	4	1	*	-	*	6
Total	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

* Less than 0.5 percent.

1/ All other includes Virginia, Kentucky and Nevada.

Table 3. Estimated percentage of cotton acreage planted to specified varieties, by states, 1968-1972

NORTH CAROLINA

Season beginning August 1	Ginnings	Carolina Queen	Coker 100A	Coker 201	Coker 310	Coker 413	Coker 417	Delta-pine 16	McNair 210	McNair 511	McNair 1032	Rex	TH 149	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1968	130,347	4	4	40	-	25	-	-	-	-	26	-	-	1	100
1969	105,919	3	2	51	-	11	*	-	-	-	20	4	8	1	100
1970	161,690	1	*	57	3	1	9	-	-	-	10	4	13	2	100
1971	137,211	-	2	50	25	-	1	-	2	3	11	3	3	-	100
1972	-	-	-	40	37	-	-	1	3	10	6	-	2	1	100

SOUTH CAROLINA

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 310	Coker 413	Coker 417	Delta-pine 16	Dixie King	McNair 511	McNair 1032	McNair 1032 B	Other	Total	
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1968	263,962	7	1	36	-	55	-	-	*	-	1	-	*	100	
1969	210,563	3	*	73	-	19	1	*	-	*	-	1	-	3	100
1970	215,817	1	1	72	3	4	14	1	-	1	-	-	2	1	100
1971	268,567	*	*	66	25	1	6	1	-	*	-	1	-	*	100
1972	-	-	-	53	32	-	7	-	5	1	1	-	1	*	100

GEORGIA

Season beginning August 1	Ginnings	Auburn M	Carolina Queen	Coker 100A	Coker 201	Coker 310	Coker 413	Coker 417	Delta-pine 16	Dixie King II	Empire	McNair 1032 B	Stoneville 213	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1968	268,411	-	8	-	6	-	63	-	-	-	*	-	-	23	100
1969	277,531	*	10	2	47	-	20	-	1	4	2	7	1	6	100
1970	285,570	2	4	3	48	1	4	19	3	4	2	8	1	1	100
1971	356,024	1	1	2	46	22	*	9	6	4	1	4	1	3	100
1972	-	2	1	1	41	26	-	6	12	3	*	3	3	2	100

FLORIDA

Season beginning August 1	Ginnings	Auburn M	Carolina Queen	Coker 100	Coker 201	Coker 310	Coker 413	Delta-pine 16	Delta-pine 45A	Dixie King II	McNair 1032	McNair 1032 B	Wanna-maker All-in-one	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1968	10,267	-	4	4	26	-	46	-	-	-	15	-	5	*	100
1969	9,124	4	7	11	12	-	21	6	-	1	-	23	13	2	100
1970	7,673	1	4	9	14	-	11	39	13	3	-	4	-	2	100
1971	11,475	-	-	-	12	23	-	51	-	6	-	8	-	-	100
1972	-	-	-	-	7	10	-	70	-	9	-	1	-	3	100

ALABAMA

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 310	Coker 413	Coker 417	Delta-pine 16	Dixie King II	Empire	McNair 1032 B	Rex Smooth Leaf	Stoneville 213	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1968	402,065	10	3	4	-	56	-	*	8	*	-	1	4	14	100
1969	466,030	3	3	10	-	11	-	19	21	5	7	5	12	4	100
1970	515,244	1	2	10	1	2	4	25	19	3	5	3	20	5	100
1971	632,744	-	-	8	6	-	7	26	20	1	3	5	19	5	100
1972	-	-	-	4	8	-	6	28	16	1	1	4	27	5	100

* Less than 0.5 percent.

Table 3. Estimated percentage of cotton acreage planted to specified varieties, by states, 1968-1972 (Continued)

MISSISSIPPI

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 310	Coker 413	Delta-pine 15A	Delta-pine 16	Delta-pine 45A	Dixie King II	Stoneville 7A	Stoneville 213	Other	Total	
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
1968	1,519,067	1	*	1	-	4	2	12	2	29	*	3	44	2	100
1969	1,314,668	*	*	1	*	1	-	56	2	3	*	1	35	1	100
1970	1,617,703	-	*	1	1	*	-	51	2	1	1	5	38	*	100
1971	1,637,225	-	-	*	*	*	-	57	1	-	*	*	40	2	100
1972	-	-	-	-	1	-	-	55	1	*	*	*	41	2	100

TENNESSEE

Season beginning August 1	Ginnings	Auburn M	Coker 310	Coker 413	Delta-pine 16	Delta-pine 45	Delta-pine Sm.Lf.	Dixie King II	Empire	Hancock	McNair	Rex Smooth Leaf	Stoneville 213	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1968	322,600	7	-	8	3	4	25	18	1	*	2	2	27	3	100
1969	417,274	8	-	1	32	1	6	26	2	2	*	4	16	2	100
1970	385,882	5	-	*	41	1	1	21	4	3	-	3	20	1	100
1971	508,918	3	*	-	40	*	-	20	1	3	-	3	28	2	100
1972	-	3	1	-	42	*	*	16	1	5	-	4	28	*	100

MISSOURI

Season beginning August 1	Ginnings	Auburn M	Brycot 4	Coker 100A	Delcot	Delta-pine 16	Delta-pine 45A	Mo-Del	Rex Smooth Leaf	Rex Smooth Lf. 66	Stoneville 7A	Stoneville 213	Other	Total	
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
1968	197,045	15	-	-	2	-	1	11	-	4	-	9	54	4	100
1969	326,044	8	-	-	-	-	22	3	2	7	-	7	48	3	100
1970	222,691	8	*	-	-	1	23	3	-	4	-	5	53	3	100
1971	392,637	5	1	-	-	2	26	3	*	-	3	4	56	*	100
1972	-	4	-	2	-	3	19	1	-	-	5	2	64	*	100

ARKANSAS

Season beginning August 1	Ginnings	Brycot 4	Coker 413	Delcot 277	Delfos 9169	Delta-pine 16	Delta-pine 45A	Dixie King II	Rex Smooth Leaf	Rex Smooth Lf. 66	Stoneville 7A	Stoneville 213	Other	Total	
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
1968	1,032,525	-	3	-	2	5	8	14	-	4	-	11	49	4	100
1969	1,140,945	-	*	-	1	33	6	*	1	3	*	12	40	4	100
1970	1,044,609	*	-	-	-	44	3	*	1	2	3	10	36	*	100
1971	1,210,858	1	-	-	*	41	2	-	*	*	3	8	43	2	100
1972	-	1	-	1	-	41	1	-	1	*	3	6	45	1	100

LOUISIANA

Season beginning August 1	Ginnings	Coker 310	Coker 413	Delta-pine 15A	Delta-pine 16	Delta-pine 45A	Delta-pine Sm.Lf.	Stoneville 7A	Stoneville 213	Stoneville 508	-----	-----	-----	Other	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1968	544,746	-	3	1	8	10	36	4	36	1	-	-	-	1	100
1969	481,598	-	-	-	49	10	4	2	34	-	-	-	-	1	100
1970	521,183	-	*	-	53	13	1	2	31	-	-	-	-	*	100
1971	587,977	1	-	-	52	8	-	1	38	-	-	-	-	*	100
1972	-	*	1	-	53	10	-	1	35	-	-	-	-	*	100

* Less than 0.5 percent.

Table 3. Estimated percentage of cotton acreage planted to specified varieties, by states, 1968-1972 (Continued)

OKLAHOMA

Season beginning	Ginnings	Delta-pine 16	Delta-pine Sm.Lf.	Lank-art 57	Lank-art LX 571	Lank-art 611	Lank-art 3840	Lockett 4789	Lockett 4789A	Parrott	Paymaster 202	Stoneville 213	Westburn	Other	Total
August 1															
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1968	259,899	*	6	43	-	4	2	12	-	1	3	2	4	23	100
1969	271,006	6	1	56	-	2	13	5	*	2	4	1	3	7	100
1970	187,017	5	1	67	-	5	7	*	3	1	3	1	3	4	100
1971	169,114	2	-	70	3	9	1	2	2	1	2	1	2	5	100
1972	-	4	-	62	10	11	2	3	*	*	2	1	2	3	100

TEXAS

Season beginning	Ginnings	Acala	Coker	Delta-pine	Dunn	Gregg	Lank-art	Lockett	Paymaster	Rilcot	Stoneville	Stripper 31	Western Storm-proof	Other	Total
August 1															
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>											
1968	3,446,138	13	1	3	3	1	20	7	20	2	17	1	2	10	100
1969	2,774,222	7	2	3	7	2	28	7	18	2	10	2	4	8	100
1970	3,123,556	4	3	4	2	2	25	6	19	3	15	4	3	10	100
1971	2,509,426	2	2	3	2	3	29	6	17	4	10	8	4	10	100
1972	-	1	1	4	1	1	33	6	15	3	14	7	4	10	100

NEW MEXICO

Season beginning	Ginnings	Acala 1517- BR2	Acala 1517C	Acala 1517D	Acala 1517V	Acala 1517- 70	Acala 3080	Hopi-cala	Paymaster 111	Paymaster 909	Rilcot 90	Stoneville 213	Stroman Acala 254	Other	Total
August 1															
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1968	158,372	14	14	22	34	-	*	5	1	*	2	1	-	7	100
1969	140,522	9	15	12	43	-	2	6	3	1	1	*	-	8	100
1970	122,318	7	18	14	36	3	3	3	2	2	1	2	2	7	100
1971	125,137	4	7	4	30	22	2	3	2	2	3	4	4	13	100
1972	-	1	7	2	28	34	1	1	1	1	3	2	3	16	100

ARIZONA

Season beginning	Ginnings	Acala 4-42	Acala 1517C	Acala 1517D	Acala 1517V	Acala 1517- 70	Acala SJ-1	Del Cerro	Delta-pine 16	Delta-pine Sm.Lf.	Hopi-cala	Stoneville 7A	Stoneville 213	Other	Total
August 1															
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1968	680,880	1	2	4	1	-	1	1	70	7	7	-	2	4	100
1969	589,125	-	1	3	*	-	1	2	87	2	2	1	1	-	100
1970	461,954	-	2	3	*	*	-	1	89	1	1	*	3	-	100
1971	460,414	-	1	1	*	2	-	1	80	6	*	1	8	*	100
1972	-	-	1	1	*	2	-	2	80	3	*	2	9	*	100

CALIFORNIA

Season beginning	Ginnings	Acala 4-42	Acala SJ-1	Delta-pine 16	Delta-pine Sm.Lf.	Impe- rial Acala	Stone- ville 213	Stone- ville 508	-----	-----	-----	-----	-----	-----	Total
August 1															
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1968	1,593,595	4	87	7	1	*	*	1	-	-	-	-	-	-	100
1969	1,334,246	3	86	10	1	*	*	*	-	-	-	-	-	-	100
1970	1,175,991	12	79	9	*	*	*	*	-	-	-	-	-	-	100
1971	1,119,766	10	83	5	1	-	1	-	-	-	-	-	-	-	100
1972	-	4	90	4	1	-	1	-	-	-	-	-	-	-	100

* Less than 0.5 percent.

Table 4. Raleigh Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971 Ginnings	Coker 201	Coker 310	Delta- pine 210	McNair 511	McNair 1032	TH 149	---	---	---	Other	Total
<u>North Carolina:</u>													
Anson	5	5,148	41	54	-	-	-	5	-	-	-	-	100
Cleveland	8	10,134	58	42	-	-	-	-	-	-	-	-	100
Edgecombe	3	2,228	38	35	-	-	-	21	6	-	-	-	100
Franklin	3	574	5	-	-	-	-	29	66	-	-	-	100
Halifax	9	18,144	29	62	-	4	1	4	-	-	-	-	100
Harnett	5	3,745	51	35	-	12	2	-	-	-	-	-	100
Nash	7	4,332	39	48	-	3	-	10	-	-	-	-	100
Northampton	8	13,700	30	52	-	13	-	-	-	-	-	-	3
Robeson	12	24,457	53	14	-	-	17	14	-	-	-	-	100
Sampson	5	9,070	14	77	-	3	3	-	-	-	-	-	100
Scotland	7	25,129	33	24	3	-	37	2	1	-	-	-	100
Union	3	1,060	47	45	-	-	-	-	8	-	-	-	100
Wilson	4	1,155	50	37	-	-	-	13	-	-	-	-	100
All other	20	18,335	50	23	3	6	1	10	4	-	-	-	3
Classing													100
Office Total	99	137,211	40	37	1	3	10	6	2	-	-	-	1

Table 5. Columbia Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971 Ginnings	Coker 100A	Coker 201	Coker 310	Coker 417	Delta-pine 16	Dixie King	McNair 511	McNair 1032B	Stoneville 149	TH 149	Other	Total
No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>South Carolina:</u>														
Abbeville	3	5,626	-	-	77	23	-	-	-	-	-	-	-	100
Aiken	6	7,981	-	62	33	-	-	-	-	-	-	-	3	100
Anderson	8	4,662	-	14	83	-	-	3	-	-	-	-	-	100
Bamberg	4	6,542	-	98	1	-	-	-	1	-	-	-	-	100
Barnwell	4	6,145	-	80	-	-	-	-	-	20	-	-	-	100
Calhoun	6	13,211	-	79	10	-	-	9	-	-	-	-	2	100
Cherokee	3	1,985	-	48	18	-	-	30	-	-	-	-	4	100
Chester	3	2,170	-	25	74	-	-	1	-	-	-	-	-	100
Chesterfield	3	6,114	-	57	40	-	-	2	-	-	-	-	-	100
Clarendon	10	17,333	-	70	27	-	-	-	-	-	-	-	3	100
Darlington	6	14,433	4	17	79	-	-	-	-	-	-	-	-	100
Dillon	5	17,350	-	28	23	49	-	-	-	-	-	-	-	100
Edgefield	4	3,846	-	55	41	-	2	-	-	-	-	-	2	100
Florence	5	11,028	-	79	18	-	3	-	4	-	-	-	-	100
Hampton	4	3,608	4	92	-	3	-	1	-	-	-	-	-	100
Laurens	5	3,832	-	83	13	-	-	-	-	-	-	-	-	100
Lee	12	34,555	-	63	33	-	2	-	-	-	-	-	-	100
Lexington	3	3,481	-	63	33	-	4	-	-	-	-	-	-	100
Marion	4	2,673	-	49	47	2	-	-	-	-	-	-	2	100
Marlboro	11	33,232	-	32	37	3	25	-	-	-	-	-	3	100
Orangeburg	19	20,704	1	52	44	-	2	-	-	-	-	-	-	100
Spartanburg	5	2,689	-	77	23	-	-	-	-	-	-	-	-	100
Sumter	14	27,073	-	51	13	24	10	-	-	-	-	-	2	100
York	4	2,871	-	8	-	46	3	43	-	-	-	-	-	100
All other	21	15,423	-	38	59	-	-	3	-	-	-	-	-	100
Classing Office Total	172	268,567	*	53	32	7	5	1	1	*	*	*	*	100

* Less than 0.5 percent.

Table 6. Augusta Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971 Ginnings	Auburn 56	Caro- lina Queen	Coker 100A	Coker 310	Coker 417	Delta- pine			Dixie King II	McNair 1032B	Stone- ville 213	Other	Total
								No.	Bales	Pct.					
Georgia:															
Burke	9	18,736	-	-	1	83	12	3	-	1	-	-	-	-	100
Emanuel	3	3,509	-	-	65	8	-	-	27	-	-	-	-	-	100
Jefferson	8	12,294	1	-	77	15	-	-	1	-	6	-	-	-	100
Johnson	3	8,785	-	-	15	75	-	-	-	-	10	-	-	-	100
Laurens	6	15,304	2	-	46	45	-	2	-	-	5	-	-	-	100
Morgan	3	12,139	-	-	-	58	-	-	42	-	-	-	-	-	100
Screven	4	4,368	-	6	9	50	7	26	2	-	-	-	-	-	100
Washington	4	8,838	-	11	-	69	19	-	-	1	-	-	-	-	100
All Other	14	16,688	2	-	2	65	21	-	3	1	1	5	*	-	100
Classing Office Total	54	100,661	1	1	55	30	2	1	1	5	3	*	-	-	100

* Less than 0.5 percent.

Table 7. Atlanta Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop or 1972

State and County	Gins	1971 Ginnings	Auburn M	Carolina Queen	Coker 100A	Coker 201	Coker 310	Coker 417	Delta pine 16	Delta pine 45A	Dixie King II	McNair 1032B	Stoneville 213	Other	Total	
No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
<u>Georgia:</u>																
Bartow	7	13,259	37	-	-	19	21	-	7	-	13	-	-	3	-	100
Bleckley	3	10,618	-	-	-	80	20	-	-	-	-	-	-	-	-	100
Calhoun	3	6,721	-	-	-	30	30	-	40	-	-	-	-	-	-	100
Colquitt	6	21,082	-	-	-	51	22	-	9	-	-	14	1	3	3	100
Crisp	4	19,270	-	11	-	25	43	-	14	-	-	5	-	2	2	100
Dooly	11	46,402	-	-	-	9	16	36	25	11	-	-	3	-	3	100
Floyd	3	3,766	-	-	-	36	36	-	12	-	14	-	-	2	-	100
Hart	3	4,193	-	-	-	23	73	-	-	-	-	-	-	-	4	100
Macon	4	9,117	-	-	-	47	24	5	19	-	-	-	5	-	5	100
Oconee	3	4,902	-	-	-	66	16	-	-	-	-	-	13	5	5	100
Pulaski	3	15,136	-	-	-	37	14	-	49	-	-	-	-	-	-	100
Sumter	4	7,684	-	-	-	29	24	-	47	-	-	-	-	-	-	100
Taylor	6	10,124	1	-	-	47	44	-	-	8	-	-	-	-	-	100
Terrell	4	11,321	-	-	-	17	17	-	20	-	-	-	46	-	100	
Worth	4	3,368	-	3	-	32	28	-	17	-	-	20	-	-	-	100
All other	39	60,462	2	-	2	50	25	1	10	-	2	2	3	1	2	100
Classing Office Total	107	255,363	3	1	1	35	24	7	16	2	2	1	3	4	1	100

Table 8. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971		Auburn M	Coker 201	Coker 310	Coker 417	Delta-pine 16	Dixie King II	Empire	Han-cock	McNair 210	Rex Smooth Leaf	Stoneville 213	Stoneville 603	Other	Total	No.	Bales	Pct.													
		1971	Ginnings																														
<u>Alabama:</u>																																	
Cherokee	12	41,540	-	-	-	-	-	75	-	2	-	-	-	-	-	18	5	-	100	-	-	-	-	-	-	-	-	-	-				
Colbert	6	27,258	-	-	2	-	40	-	-	-	-	-	-	-	-	58	-	-	100	-	-	-	-	-	-	-	-	-	-				
Cullman	8	15,881	4	-	18	-	-	75	-	-	-	-	-	-	-	-	-	-	100	3	100	-	-	-	-	-	-	-	-				
DeKalb	14	26,873	-	27	-	-	-	70	-	-	-	-	-	-	-	1	-	-	100	2	100	-	-	-	-	-	-	-	-				
Franklin	4	8,395	-	3	14	-	8	3	-	-	-	14	-	58	-	-	-	100	-	-	-	-	-	-	-	-	-	-					
Jackson	7	12,321	3	-	3	-	-	81	7	-	-	-	-	-	-	3	-	-	100	3	100	-	-	-	-	-	-	-	-				
Lamar	3	7,343	-	-	90	-	5	-	-	-	-	-	-	-	-	5	-	-	100	-	-	-	-	-	-	-	-	-	-				
Lauderdale	7	24,093	-	-	27	-	30	10	-	-	-	-	-	-	-	33	-	-	100	-	-	-	-	-	-	-	-	-	-				
Lawrence	14	50,361	-	-	-	-	53	3	-	6	-	6	-	31	-	-	1	100	1	100	-	-	-	-	-	-	-	-	-	-			
Limestone	16	72,516	-	6	-	1	12	2	-	-	1	78	-	-	-	1	78	-	100	-	-	-	-	-	-	-	-	-	-	-			
Madison	20	72,640	-	-	-	-	-	14	-	4	-	4	-	26	52	2	2	100	-	-	-	-	-	-	-	-	-	-	-	-			
Marshall	9	19,478	-	-	28	-	7	55	-	-	3	-	-	3	-	7	-	-	100	3	100	-	-	-	-	-	-	-	-	-	-		
Morgan	7	18,408	-	-	-	12	15	18	-	-	-	-	-	-	-	52	-	-	100	3	100	-	-	-	-	-	-	-	-	-	-		
Pickens	3	6,647	-	-	-	-	40	50	-	-	-	-	-	-	-	5	-	-	100	5	100	-	-	-	-	-	-	-	-	-	-		
Shelby	3	6,691	-	10	-	-	85	-	-	-	-	-	-	-	-	-	-	-	100	5	100	-	-	-	-	-	-	-	-	-	-		
Tuscaloosa	4	9,770	-	-	-	85	-	-	-	-	-	-	-	-	-	5	-	-	100	10	100	-	-	-	-	-	-	-	-	-	-		
All other	14	34,969	-	1	17	9	37	19	-	-	-	-	-	-	-	13	-	-	100	4	100	-	-	-	-	-	-	-	-	-	-	-	
Classing Office Total	151	455,184	*	2	7	1	24	19	1	1	1	1	1	1	1	5	36	1	2	100	-	-	-	-	-	-	-	-	-	-	-		

* Less than 0.5 percent.

Table 9. Montgomery Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins No.	1971 Ginnings	Auburn 56	Coker 201	Coker 310	Coker 417	Delta- pine 45A	Delta- pine 16	Dixie King II	McNair 210	McNair 511	McNair 1032B	Stone- ville 213	Stone- ville 603	Other	Total
<u>Alabama:</u>																
Autauga	4	15,371	-	-	-	99	-	-	-	-	-	-	-	-	1	100
Barbour	3	1,756	12	10	7	-	32	14	-	-	-	-	-	-	5	100
Conecuh	3	3,780	-	7	8	-	72	-	8	-	-	-	-	-	5	100
Dallas	9	21,348	-	22	25	32	17	-	2	-	-	-	1	-	1	100
Elmore	6	21,144	-	10	2	50	23	-	12	-	-	1	-	2	-	100
Escambia	3	11,711	-	9	10	-	76	-	-	1	4	-	-	-	-	100
Greene	3	7,435	-	-	5	58	-	18	-	-	-	-	-	14	-	100
Hale	5	9,973	-	25	12	6	42	-	9	-	-	-	-	4	-	100
Houston	5	1,440	2	36	-	10	-	25	10	11	2	-	-	-	4	100
Lowndes	3	7,800	-	37	20	7	17	-	-	7	-	-	-	9	-	100
Macon	4	12,293	-	-	-	86	-	-	-	-	2	8	-	-	4	100
Marengo	3	9,955	-	-	-	39	-	15	-	-	-	46	-	-	-	100
Monroe	3	8,468	-	4	4	2	88	-	2	-	-	-	-	-	-	100
Russell	3	8,715	11	17	13	-	30	13	9	-	-	-	3	4	-	100
Sumter	4	3,163	-	6	-	-	30	-	33	-	-	-	-	26	-	100
Wilcox	3	4,847	-	3	43	-	46	-	3	-	-	-	-	-	5	100
All other	22	28,361	4	11	13	3	37	-	13	1	1	12	-	-	5	100
Total	86	177,560	1	11	10	20	40	1	7	*	1	2	5	*	2	100
<u>Florida:</u>																
Total	4	11,475	1	7	10	-	70	-	9	1	1	1	-	-	-	100
Classing Office Total	90	189,035	1	11	10	19	40	1	8	*	1	2	5	*	2	100

* Less than 0.5 percent.

Table 10. Greenwood Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971 Ginnings	Coker 310	Delta- pine 16	Delta- pine 45A	Delta- pine Sm.Lf.	Dixie King	Stone- ville 7A	Stone- ville 213	Other			Total
										Pct.	Pct.	Pct.	
Mississippi:													
Bolivar	41	154,546	-	59	1	1	-	-	-	38	-	-	100
Carroll	3	8,265	3	66	-	-	-	-	-	30	-	-	100
Coahoma	38	152,916	-	36	2	-	-	-	-	62	-	-	100
DeSoto 1/	4	14,620	15	84	-	-	-	-	-	1	-	-	100
Holmes	16	62,087	-	86	-	-	-	-	-	11	-	-	100
Humphreys	13	62,606	-	39	-	-	-	-	-	61	-	-	100
Issaquena	3	11,822	1	74	-	-	-	-	-	25	-	-	100
Leflore	26	113,438	3	56	-	-	-	-	-	39	-	-	100
Madison 2/	3	11,330	-	51	-	-	-	-	-	46	-	-	100
Panola 1/	8	27,587	-	35	-	-	-	-	-	65	-	-	100
Quitman	18	67,156	-	39	6	-	-	-	-	55	-	-	100
Sharkey	13	46,303	-	82	5	-	-	-	-	12	-	-	100
Sunflower	32	171,501	-	46	-	-	-	-	-	51	-	-	100
Tallahatchie	20	85,278	-	66	-	-	-	-	-	33	-	-	100
Tunica	16	45,735	-	38	25	-	-	-	-	2	35	-	100
Washington	35	138,409	-	59	-	-	-	-	-	2	38	-	100
Yazoo	12	71,411	-	67	-	-	-	-	-	33	-	-	100
All other	3	11,162	1	63	-	-	-	-	-	36	-	-	100
Classing Office Total	304	1,256,172	1	54	2	*	*	*	*	42	-	-	100

1/ A portion of this county is served by Memphis Classing Office.

2/ A portion of this county is served by Jackson Classing Office.

* Less than 0.5 percent.

Table 11. Jackson Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971 Ginnings	Coker 310	Delta- pine 16	Stone- ville 213	Bales			Pct.			Pct.			Pct.			
						No.	Pct.											
<u>Mississippi:</u>																		
Attala	5	6,766	-	74	26	-	-	-	-	-	-	-	-	-	-	-	-	100
Hinds	6	15,686	-	60	40	-	-	-	-	-	-	-	-	-	-	-	-	100
Lowndes	4	7,552	-	55	45	-	-	-	-	-	-	-	-	-	-	-	-	100
Madison 1/	6	22,586	-	56	44	-	-	-	-	-	-	-	-	-	-	-	-	100
Noxubee	4	6,869	-	86	14	-	-	-	-	-	-	-	-	-	-	-	-	100
Scott	3	3,600	-	98	2	-	-	-	-	-	-	-	-	-	-	-	-	100
Webster	3	9,251	-	68	32	-	-	-	-	-	-	-	-	-	-	-	-	100
Winston	3	6,830	30	70	-	-	-	-	-	-	-	-	-	-	-	-	-	100
All other	26	44,342	3	72	25	-	-	-	-	-	-	-	-	-	-	-	-	100

Classing
Office Total

60 123,482 3 67 30 - - - - - - - - - - - - - - 100

1/ A portion of this county is served by Greenwood Classing Office.

Table 12. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971 Ginnings	Auburn M	Coker 310	Delta- pine Sm. Lf.	Delta- pine 16	Dixie King II	Empire	Han- cock	Rex Smooth Leaf	Stone- ville	Stone- ville	Other	Total
<u>Tennessee:</u>														
Carroll	10	14,407	5	-	-	23	-	49	-	20	-	1	-	2
Chester	5	9,209	7	-	-	68	-	18	-	6	-	1	-	100
Crockett	12	58,652	2	-	-	52	-	17	-	-	1	28	-	-
Dyer	13	29,330	-	-	-	20	-	2	-	-	-	78	-	-
Fayette	12	32,277	9	-	-	68	-	2	-	2	1	-	-	-
Gibson	20	63,043	5	9	-	46	-	4	5	-	-	18	-	-
Hardeman	10	21,505	-	-	-	46	-	15	-	7	2	-	-	-
Haywood	14	49,166	-	-	-	44	-	24	-	-	-	28	-	-
Henderson	6	9,452	-	-	-	11	-	40	-	4	12	-	-	-
Lake	9	25,864	-	-	-	63	-	-	-	-	1	36	-	-
Lauderdale	13	39,214	5	-	-	44	2	23	-	-	1	3	-	-
Lawrence	5	9,780	8	-	-	-	-	39	-	-	10	43	-	-
Lincoln	5	12,936	-	-	-	1	-	20	-	60	13	-	3	100
McNairy	9	15,848	2	-	-	25	-	26	-	24	1	-	22	-
Madison	12	34,839	7	1	1	47	2	12	2	-	1	-	27	-
Obion	4	6,211	1	-	-	59	-	9	-	-	-	30	-	100
Shelby	14	22,609	1	-	-	10	-	15	-	-	51	-	23	-
Tipton	15	41,625	-	-	-	55	-	23	-	8	1	-	13	-
All other	8	12,951	3	-	-	28	-	21	-	20	2	-	25	-
Total	196	508,918	3	1	*	42	*	16	1	5	4	*	28	-
<u>Arkansas:</u>														
Total 1/	32	72,837	-	-	-	-	-	-	-	55	4	-	-	35
												6	-	-
												-	-	-

Table 12. Memphis Classing Office: (Continued)

State and County	Gins	1971 Ginnings	Auburn M	Coker 310	Delta-pine Sm.Lf.	Delta-pine 16	Delta-pine 45A	Dixie King II	Empire	Hancock	Rex Smooth Leaf	Stoneville 7A	Stoneville 213	Other	Total
No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Mississippi:</u>															
Alcorn	4	9,961	-	-	-	-	-	-	-	7	-	-	-	48	-
Benton	4	8,381	2	-	-	-	-	-	-	-	56	1	-	40	-
Calhoun	5	18,278	-	-	-	-	-	-	-	16	-	-	-	84	-
Chickasaw	4	10,797	-	-	-	-	-	-	-	60	4	-	-	36	-
DeSoto 2/	5	12,412	-	-	-	-	-	-	-	57	-	-	-	9	-
Grenada 3/	3	8,086	-	-	-	-	-	-	-	45	-	-	-	34	-
Itawamba	3	6,196	-	-	-	-	-	-	-	47	-	-	-	9	-
Lee	6	15,015	-	-	-	-	-	-	-	58	-	-	-	2	-
Marshall	12	30,466	2	-	-	-	-	-	-	81	-	-	-	40	-
Monroe	8	24,252	-	-	-	-	-	-	-	60	-	-	-	40	-
Panola 2/	10	23,904	-	-	-	-	-	-	-	19	-	-	-	81	-
Pontotoc	6	15,197	-	-	-	-	-	-	-	50	-	-	-	50	-
Prentiss	6	10,098	-	-	-	-	-	-	-	77	-	-	-	18	-
Tate 3/	7	20,910	-	-	-	-	-	-	-	57	-	-	-	43	-
Tippah	6	14,298	-	-	-	-	-	-	-	42	-	-	-	55	-
Tishomingo	4	6,459	-	-	-	-	-	-	-	42	-	-	-	6	-
Union	3	6,613	-	-	-	-	-	-	-	55	-	-	-	45	-
All other	4	16,248	-	-	-	-	-	-	-	94	-	-	-	6	-
Total	100	257,571	*	-	-	-	-	-	-	55	*	*	*	43	-
Classing Office Total	328	839,326	2	1	*	46	1	10	*	3	3	*	33	-	1
															100

1/ Includes Crittenden County and the portion of Cross County served by Memphis Classing Office.
 2/ A portion of this county is served by Greenwood Classing Office.
 3/ A portion of this county is served by Greenwood Classing Office and is included in the data for "all other".

* Less than 0.5 percent.

Table 13. Hayti Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971 Ginnings	Auburn M	Brycot 4	Coker	Delcot	Delta-pine 16	Delta-pine 45A	Rex Smooth 66	Stoneville 7A	Stoneville 213	Other	Total
No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Missouri:</u>													
Butler	6	11,208	-	-	3	4	-	-	-	93	-	-	100
Dunklin	30	109,114	9	3	1	2	32	-	4	2	47	-	100
Mississippi	11	12,643	2	-	-	18	-	16	4	60	-	-	100
New Madrid	29	103,716	4	1	-	4	9	2	7	3	70	-	100
Pemiscot	25	115,976	-	1	-	3	24	1	4	2	65	-	100
Scott	6	12,433	4	2	-	1	3	3	-	1	86	-	100
Stoddard	7	25,334	1	1	-	1	4	-	2	-	91	-	100
All other	1	2,213	-	5	-	5	10	-	10	10	60	-	100
Classing Office Total	115	392,637	4	2	*	3	19	1	5	2	64	-	100

* Less than 0.5 percent.
1/ A portion of this county is served by Little Rock Classing Office.

Table 14. Blytheville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971 Ginnings	Auburn M	Brycot 1	Brycot 4	Delcot 277	Delta-pine 16	Dixie King II 45A	Rex 66	Rex Smooth 7A	Stoneville 213	Stoneville 213	Other Total
No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Arkansas:</u>													
Clay 1/	12	26,464	1	-	2	1	17	-	-	-	11	15	53
Craighead	25	86,811	1	-	1	1	21	-	-	-	3	8	64
Greene	9	33,017	1	-	1	3	15	1	1	-	6	12	59
Mississippi	54	188,424	-	1	5	1	34	-	-	1	3	20	34
Poinsett	21	86,997	-	-	-	5	39	-	-	-	1	3	51
Classing Office Total	121	421,713	*	1	3	2	30	*	*	1	3	13	46

* Less than 0.5 percent.
1/ A portion of this county is served by Little Rock Classing Office.

Table 15. Little Rock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971 Ginnings	Brycot 1	Coker 310	Delcote 277	Delta- pine 16	Delta- pine 45A	Dixie King II	Rex Sm.Lf. 66	Stone- ville 7A	Stone- ville 213	---	---	Other	Total
Arkansas:															
Arkansas	3	5,385	-	-	-	43	-	-	-	-	57	-	-	-	100
Ashley	5	45,313	-	-	-	51	4	-	-	-	45	-	-	-	100
Chicot	9	43,320	-	1	1	36	4	1	-	-	57	-	-	-	100
Clay 1/	6	12,683	-	3	10	16	-	-	12	25	32	-	-	2	100
Cross 2/	12	22,859	-	-	-	45	-	-	13	-	42	-	-	-	100
Desho	12	43,487	-	-	-	35	-	-	-	1	63	-	-	1	100
Drew	4	12,080	-	-	-	33	-	-	-	-	67	-	-	-	100
Jackson	11	27,483	-	-	-	20	2	24	20	-	30	-	-	4	100
Jefferson	26	87,042	-	-	-	87	2	-	-	-	11	-	-	-	100
Lafayette	4	11,645	-	-	-	90	5	-	-	-	5	-	-	-	100
Lawrence	8	15,450	3	-	4	18	-	-	26	13	35	-	-	1	100
Lee	17	48,034	-	-	-	35	-	-	2	1	59	-	-	3	100
Lincoln	9	34,137	-	1	1	42	3	-	-	-	52	-	-	1	100
Lonoke	13	66,247	-	1	-	59	-	-	-	-	39	-	-	1	100
Miller	4	5,670	-	-	-	90	-	-	-	-	10	-	-	-	100
Monroe	10	30,957	-	1	-	84	-	-	1	-	11	-	-	3	100
Phillips	37	90,292	-	-	-	35	-	-	-	-	4	61	-	-	100
Pulaski	6	7,314	-	-	-	8	12	-	-	-	79	-	-	1	100
Randolph	4	7,857	-	-	-	19	-	-	47	-	33	-	-	1	100
St. Francis	21	48,791	-	-	1	36	-	-	1	2	3	55	-	2	100
Woodruff	10	27,589	-	-	-	26	-	-	3	-	66	-	-	5	100
All other	12	22,673	-	-	-	35	-	-	1	2	59	-	-	3	100
Classing Office Total	243	716,308	* * * * *	47	1	1	3	2	45	-	-	-	-	1	100

1/ A portion of this county is served by Blytheville Classing Office.

2/ A portion of this county is served by Memphis Classing Office and is included in the data for "Arkansas".

* Less than 0.5 percent.

Table 16. Winnsboro Classing Office:

Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1972

State and Parish	Gins	1971 Ginnings	Coker 413	Delta-pine 16	Delta-pine 45A	Rex	Stoneville 7A	Stoneville 213	Other	Total
No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Louisiana:										
Catahoula	4	20,153	-	-	17	1	-	1	81	-
Concordia	5	19,181	-	-	92	-	-	-	8	-
East Carroll	9	54,415	-	1	43	1	-	-	55	-
Franklin	15	68,406	-	-	42	3	-	1	54	-
Madison	4	16,204	-	-	56	1	-	-	43	-
Morehouse	6	71,496	-	3	51	17	1	-	28	-
Ouachita	4	23,925	-	-	65	11	-	-	24	-
Richland	13	72,630	-	-	58	5	-	-	37	-
Tensas	6	30,468	-	-	41	15	-	-	44	-
West Carroll	10	41,028	1	2	59	1	-	-	37	-
All other	2	14,367	-	-	32	23	-	-	45	-
Classing Office Total	78	432,273	*	1	50	7	*	*	42	-
										- 100

* Less than 0.5 percent.
20

Table 17. Alexandria Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1972

State and Parish	Gins	1971 Ginnings	Auburn M	Delta-pine 16	Delta-pine 45A	Stoneville 7A	Stoneville 213	Other	Total
No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Louisiana:									
Acadia	3	3,977	3	82	-	4	11	-	-
Avoyelles	8	15,592	-	40	26	-	34	-	-
Bossier	6	14,829	-	97	3	-	-	-	-
Caddo	12	38,123	-	94	2	-	4	-	-
Evangeline	3	1,572	-	71	17	-	12	-	-
Natchitoches	7	20,569	-	49	37	2	12	-	-
Rapides	10	29,054	-	33	25	13	29	-	-
St. Landry	14	16,367	-	37	50	-	13	-	-
All other	7	15,621	1	52	19	2	26	-	-
Classing Office Total	70	155,704	*	61	20	3	16	-	-
									- 100

* Less than 0.5 percent.

Table 18. Altus Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971 Ginnings	Gregg 35	Lankart 57	Lankart 611	Lankart IX 571	Lankart 3840	Lockett BXL	Lockett 4789	Lockett 4789A	Lockett 4789A	Northern Star 5	Pay-master 202	Stripper 31	Western-Storm-proof	Other	Total	
<u>Oklahoma:</u>																		
Beckham	11	11,302	-	63	13	10	-	1	1	-	-	2	-	-	10	100		
Caddo	14	15,946	-	81	10	2	-	1	1	-	-	5	-	-	1	100		
Canadian	3	1,720	-	79	5	8	3	-	-	-	-	-	-	-	5	100		
Custer	3	5,210	-	59	10	31	*	-	-	-	-	-	-	-	-	100		
Grady	4	5,183	-	46	11	43	-	-	-	-	-	-	-	-	-	100		
Greer	7	10,223	-	79	2	14	-	-	2	-	-	-	-	-	3	100		
Harmon	5	11,793	-	37	-	-	10	-	23	-	2	1	-	9	18	100		
Jackson	10	16,325	-	76	-	5	1	-	2	-	-	-	-	-	16	100		
Kiowa	8	23,199	-	77	19	3	*	-	-	1	-	-	-	-	-	100		
Tillman	10	13,415	-	79	3	10	-	-	6	-	-	-	-	-	2	100		
Washita	10	24,021	-	48	19	24	-	-	-	-	-	-	-	-	9	100		
All other	10	7,310	-	49	16	12	17	-	-	-	-	-	-	-	6	100		
Total	95	145,647	-	65	10	11	2	*	3	-	*	1	-	1	7	100		
<u>Texas:</u>																		
Briscoe	7	13,664	8	24	14	5	-	-	-	-	-	44	-	4	23	-	22	100
Childress	3	21,230	-	8	3	10	-	-	-	-	13	-	-	-	17	5	100	
Collingsworth	5	15,387	9	52	-	22	10	-	-	-	1	-	-	-	-	6	100	
Cottle	6	18,683	-	52	-	29	-	-	-	-	8	-	-	4	-	7	100	
Donley	3	7,289	20	30	-	-	-	-	-	-	-	10	5	-	-	35	100	
Foard	3	2,893	-	36	-	-	-	-	-	-	64	-	-	-	-	-	100	
Hall	12	53,044	4	33	5	3	-	1	-	4	14	6	-	-	-	23	7	100
Hardeman	4	7,862	-	60	32	4	-	-	-	-	-	-	-	-	-	-	-	100
Motley	4	8,189	-	25	35	-	-	-	-	-	-	-	-	-	5	33	100	
Wheeler	5	4,081	23	21	16	12	-	-	-	-	-	18	-	-	-	10	100	
Wilbarger	9	13,402	-	61	7	2	2	-	21	-	1	3	-	-	-	3	100	
All other	3	8,148	-	34	-	38	-	-	-	-	-	21	-	-	-	7	100	
Total	64	173,872	4	37	7	10	1	2	-	5	12	3	2	9	8	100		
Classing Office Total	159	319,519	2	49	8	10	1	1	1	1	1	3	6	2	1	5	11	100

* Less than 0.5 percent.

Table 19. Dallas Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971 Ginnings	Delta pine 16	Lankart 57	Lankart 611	Lankart LX 571	Lankart 3840	Lankart 4789	Lockett 4789A	Northern Star 5	Paymaster 202	Stoneville 213	TPSA 110	TPSA 1633	Other	Total	
No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
<u>Texas:</u>																	
Bowie	3	4,010	85	-	-	-	-	-	-	-	-	-	-	-	15	100	
Collin	15	22,758	-	94	2	* 4	4	4	-	1	2	-	-	-	2	100	
Delta	5	8,997	2	77	4	74	-	9	6	6	2	-	-	-	1	100	
Ellis	22	42,866	-	17	-	24	-	-	-	-	-	-	-	-	* 1	100	
Fannin	8	9,639	-	74	-	-	-	-	-	-	-	-	-	-	2	100	
Grayson	6	3,851	-	92	-	7	-	-	-	-	-	-	-	-	1	100	
Hill	18	45,411	-	53	-	42	-	3	-	-	-	-	-	-	* 1	100	
Hunt	11	15,209	-	71	-	29	-	4	-	-	-	-	-	-	* 1	100	
Johnson	5	8,595	-	70	-	29	-	-	-	-	-	-	-	-	1	100	
Kaufman	5	8,260	-	68	-	30	-	-	-	-	-	-	-	-	2	100	
Lamar	5	8,785	24	56	-	4	-	-	7	-	-	-	-	-	1	100	
Navarro	10	19,213	-	57	3	32	6	-	-	-	-	-	-	-	2	100	
Rockwall	3	4,658	-	93	-	-	-	-	-	-	-	-	-	-	1	100	
Tarrant	3	3,003	-	49	-	50	-	-	-	-	-	-	-	-	1	100	
All Other	13	12,964	-	48	-	20	-	-	10	10	-	-	-	-	2	100	
Total	132	218,219	3	55	1	34	1	3	1	1	-	-	-	-	* 1	100	
<u>Oklahoma:</u>																	
Bryan	3	2,229	-	65	-	-	-	-	-	-	-	-	-	-	-	35	100
Muskogee	4	5,135	55	21	11	-	-	-	-	4	-	-	-	-	9	100	
All Other	15	16,103	11	52	19	-	-	2	1	* 1	-	-	-	-	3	100	
Total	22	23,467	19	47	15	-	-	1	1	1	-	-	-	-	7	100	
Classing Office Total	154	241,686	4	55	2	31	1	2	1	1	* 1	* 1	* 1	* 1	1	100	

* Less than 0.5 percent.

Table 20. Austin Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971 Ginnings	Anton 99	Anton 2121	Delta- pine 16	Lank- art 57	Lank- art 611	Lank- art LX 571	Lank- art 3840	Lock- ett 4789	Northern Star 4-11	Stone- ville 7A	Stone- ville 213	TPSA 110	Other	Total	
<u>Texas:</u>																	
Austin	7	3,544	4	-	12	13	-	-	-	-	-	-	31	33	-	7	100
Bell	11	15,947	-	-	84	-	11	-	-	-	-	-	-	-	-	5	100
Brazoria	5	7,447	-	-	47	-	-	-	-	-	47	1	-	-	-	5	100
Brazos	4	8,180	-	-	89	-	-	-	-	-	-	5	-	-	-	6	100
Burleson	5	6,996	-	-	16	1	-	-	-	1	-	-	78	-	-	4	100
Caldwell	3	2,865	8	-	73	-	-	-	-	-	-	-	-	-	-	19	100
Colorado	3	3,492	-	-	8	-	-	-	-	-	-	-	48	34	-	10	100
Coryell	3	1,957	-	-	5	-	90	-	-	-	-	-	-	-	-	5	100
Falls	6	6,016	9	-	8	75	* 4	-	-	-	-	-	-	-	-	4	100
Fayette	4	980	23	-	21	-	44	-	-	-	-	-	-	5	4	3	100
Fort Bend	15	23,606	-	-	66	-	-	-	-	-	-	-	9	21	-	96	100
Guadalupe	3	814	-	-	95	2	-	-	-	-	-	-	-	-	-	3	100
Houston	3	6,565	-	-	9	-	-	-	-	-	-	-	53	22	-	16	100
McLennan	13	18,543	-	-	5	9	78	-	-	-	4	-	-	-	-	4	100
Milam	8	13,470	1	-	37	-	38	18	2	-	-	-	-	-	-	4	100
Robertson	5	17,314	2	-	24	5	-	-	6	2	-	-	3	46	11	1	100
Travis	3	2,106	5	-	10	-	77	-	-	3	-	-	-	-	-	5	100
Washington	3	508	26	-	14	13	-	18	-	-	-	-	5	14	7	3	100
Williamson	23	36,483	4	2	51	4	29	-	* 1	-	-	-	6	78	-	5	100
Zavala	3	2,938	-	-	13	-	-	-	-	-	-	-	5	-	-	3	100
All other	17	7,600	-	-	57	25	-	-	-	-	-	-	5	-	-	4	100
Classing					20	27	2	20	2	*	*	*	7	14	2	4	100
Office Total	147	187,371	2	*													

* Less than 0.5 percent.

Table 21. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971 Ginnings	Delta-pine 16	Hybee 200	Lank-art 611	Lank-art 3840	Lockett 4789A	Northern Star 4-11	Rex Sm.Lf. 66	Stoneville 7A	Stoneville 213	TPSA 110	Other	Total
No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:														
Jackson	4	3,429	80	-	-	-	-	-	-	-	12	8	-	100
Matagorda	6	3,890	81	-	-	-	-	-	-	-	17	2	-	100
Nueces	21	29,137	*	-	29	9	2	3	8	-	1	20	21	1
Refugio	3	1,315	-	-	29	30	-	-	-	-	28	11	-	100
San Patricio	12	22,200	-	-	65	7	*	*	-	-	12	12	1	3
Wharton	18	34,612	45	2	-	-	-	-	2	-	38	10	1	2
All other	8	5,065	32	-	6	4	*	-	*	*	11	35	7	5
Classing Office Total	72	99,648	24	1	24	5	1	1	2	1	*	24	15	1
24														
* Less than 0.5 percent.														

Table 22. Harlingen Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971 Ginnings	Coker 411	Delta-pine 16	Lank-art 57	Lank-art 611	Lank-art 3840	Lockett 4789A	Stoneville 7A	Stoneville 213	TPSA 1633	TPSA 110	Other	Total
No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:														
Cameron	28	95,069	-	6	-	-	*	1	1	52	27	12	2	100
Hidalgo	24	107,486	3	*	*	*	1	1	41	37	15	2	*	100
Willacy	10	60,542	-	-	-	-	-	1	47	47	5	-	-	100
All other	1	2,082	-	-	-	-	-	-	-	100	-	-	-	100
Classing Office Total	63	265,179	1	2	*	*	*	1	48	36	11	1	-	*
* Less than 0.5 percent.														

Table 23. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971 Ginnings	Blight- master A-5	Coker 4104	Lank- art 57	Lank- art 611	Lank- art LX 571	Lock- ett 4789	Lock- ett 4789A	Lockett 4789 BXL	Northern Star		Western Storm- proof	Other	Total			
											No.	Bales	Pct.	Pct.	Pct.			
Texas:																		
Coleman	3	383	-	-	85	-	-	-	-	-	-	-	-	5	-	100		
Dickens 1/	5	7,436	-	-	51	29	6	3	-	-	-	-	2	2	7	100		
Fisher	7	24,461	-	-	12	2	2	-	-	-	12	13	37	12	10	100		
Haskell	12	43,403	-	-	17	17	66	-	-	-	-	-	-	-	-	100		
Howard 2/	9	27,638	7	-	-	-	-	15	-	-	-	-	28	-	45	5	100	
Jones	15	38,378	-	-	20	24	53	-	-	-	-	-	-	-	-	3	100	
Knox	8	16,177	-	-	41	2	27	9	-	-	-	-	-	-	-	4	17	100
Martin 2/	7	31,003	-	3	-	-	-	16	15	11	-	-	16	-	27	12	100	
Mitchell	7	16,472	-	-	10	3	-	3	8	5	-	-	15	-	51	5	100	
Nolan	6	9,113	-	-	8	10	*	-	*	-	-	-	35	-	42	5	100	
Runnels	10	16,751	-	-	58	13	18	-	6	-	-	-	-	-	-	5	100	
Scurry 1/	7	16,531	-	-	6	15	1	10	-	-	-	-	7	8	42	11	100	
Taylor	5	5,942	-	-	-	-	-	62	31	-	-	-	-	-	-	7	100	
Tom Green	7	22,357	-	-	52	28	15	-	-	-	-	-	-	-	-	5	100	
All other	16	39,259	-	-	20	32	17	5	4	-	-	-	-	-	14	8	100	
Classing																		
Office Total	124	315,304	1	*	19	14	22	5	3	2	1	8	3	17	5	100		

1/ A portion of this county is served by Lubbock Classing Office and is included in the data for "all other".

2/ A portion of this county is served by Lubbock Classing Office.

* Less than 0.5 percent.

Table 24. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971 Ginnings	Blight- master A-5	Dunn 56C	Lank- art 57	Lank- art 611	Lock- ett 4789	Lock- ett 4789A	Pay- master 18	Pay- master 111	Pay- master 202	Pay- master 909	Rilcot 90	Strip- per 31	Other	Total	Pct.		
																	Pct.	Pct.	Pct.
<u>Texas:</u>																			
Bailey	17	34,075	-	15	5	-	-	-	2	4	7	2	1	9	26	29	100		
Castro	13	18,921	-	-	-	-	-	-	-	11	-	34	-	13	14	28	100		
Cochran	11	30,154	-	7	-	-	-	-	-	3	10	-	-	41	17	22	100		
Crosby	19	78,237	-	3	10	-	-	-	-	-	3	-	-	31	-	20	33	100	
Dawson	25	117,363	25	1	1	-	12	2	-	-	33	-	-	-	-	-	26	100	
Floyd	21	44,195	-	4	11	-	-	-	4	11	-	-	-	2	38	30	100		
Gaines	21	69,547	-	-	19	2	8	5	1	10	5	-	11	23	16	100			
Garza	6	11,283	-	-	20	-	4	-	-	43	8	-	-	-	-	25	100		
Hale	33	89,869	-	-	1	4	1	-	-	7	22	*	5	6	35	19	100		
Hockley	33	93,470	-	5	5	1	-	7	3	25	-	2	14	15	23	100			
Howard 1/	3	23,528	20	-	-	-	13	-	-	-	-	-	-	-	-	67	100		
Lamb	31	84,747	-	5	-	-	-	-	-	15	3	5	3	19	22	28	100		
Lubbock	39	152,052	-	4	12	-	-	-	2	-	3	5	3	20	-	19	40	100	
Lynn	24	97,697	6	-	16	9	10	17	-	20	-	8	-	2	12	100			
Martin 1/	4	38,915	8	-	-	-	62	14	-	-	2	-	-	-	-	14	100		
Parmer	15	22,741	-	-	-	-	-	-	13	-	5	-	44	8	30	100			
Swisher	12	12,498	-	-	2	1	-	-	25	1	13	-	1	32	25	100			
Terry	21	81,310	-	1	23	20	-	-	2	9	7	1	-	5	32	100			
Yoakum	9	29,841	3	-	8	2	-	-	12	-	6	16	8	4	13	25	100		
All other	5	11,553	-	2	5	-	-	-	-	-	-	-	-	-	-	34	100		
Total	362	1,141,996	4	3	9	3	4	3	3	12	3	3	7	7	17	25	100		
<u>New Mexico:</u>																			
Total 2/	5	6,069	-	-	-	-	-	-	2	5	25	-	31	3	34	100			
Classing Office Total	367	1,148,065	4	3	9	3	5	3	4	12	3	7	8	16	23	100			

1/ A portion of this county is served by Abilene Classing Office.

2/ Includes Roosevelt and Quay counties.

* Less than 0.5 percent.

Table 25. El Paso Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971 Ginnings	Acala 1517C	Acala 1517D	Acala 1517V	Acala 1517- 70	Acala 310	Coker 5110	Coker 310	Delta- pine 16	Hopi- calia 16	Stone- ville 213	Stroman Acala 104	Stroman Acala 254	Other	Total
No.	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
Texas:																
El Paso	9	26,712	46	1	6	25	7	-	*	6	*	6	*	3	*	100
All other	4	12,649	13	-	-	8	7	13	32	6	9	-	-	12	100	
Total	13	39,361	36	1	4	19	5	2	4	14	2	7	*	2	4	100
New Mexico:																
Dona Ana	10	32,699	2	2	41	31	*	1	1	-	2	1	4	8	7	100
Hidalgo	3	6,013	14	-	40	33	-	-	1	1	-	1	-	-	10	100
Luna	5	17,492	24	1	31	22	1	-	1	-	4	8	1	2	5	100
All other	2	1,700	-	9	29	34	-	23	-	-	-	-	-	5	-	100
Total	20	57,904	10	2	38	29	*	1	1	*	3	3	2	5	6	100
Arizona:																
Cochise	5	18,289	7	8	7	45	-	-	5	2	-	21	-	1	4	100
All other	3	11,021	5	17	-	15	-	-	-	51	-	8	-	-	4	100
Total	8	29,310	7	12	4	33	-	-	3	21	-	16	-	*	4	100
Classing																
Office Total	41	126,575	17	4	19	27	2	1	2	9	2	7	1	3	6	100

• Less than 0.5 percent.

Table 26. Carlsbad Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

County	State and Gins	1971 Ginnings	Acala 1517C	Acala 1517D	Acala 1517V	Acala SJ-1	Delta- pine 16	Delta- pine Sm. Lf.	Lank- art 57	Lock- ett 4789-A 7A	Stone- ville 213	Western Storm- proof	Other	Total		
														Pct.	Pct.	
<u>New Mexico:</u>																
Chaves	7	22,354	6	6	30	39	-	-	-	-	-	3	-	16	100	
Eddy	8	26,951	7	2	19	54	9	-	4	-	*	-	-	5	100	
Lea	6	11,859	2	-	-	15	-	-	-	18	-	-	-	65	100	
Total	21	61,164	6	3	21	42	4	-	2	3	-	*	1	-	18	100
<u>Texas:</u>																
Glasscock	3	15,704	-	*	-	-	-	-	-	58	7	-	10	25	100	
Pecos	4	7,057	29	-	-	21	-	5	-	6	2	25	-	12	100	
Reeves	9	42,168	4	-	-	1	-	38	8	-	*	7	39	-	3	100
All other	1	3,547	-	-	-	-	-	-	-	15	-	-	50	35	100	
Total	17	68,476	6	-	*	3	-	24	5	-	15	6	28	5	8	100
Classing Office Total	38	126,093	6	2	9	21	2	13	3	2	8	3	15	3	13	100

* Less than 0.5 percent.

Table 27. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971 Ginnings	Acala 1517C	Del Cerro	Delta pine 16	Delta pine 45A	Hopi-calla Sm. If.	Stoneville 7A	Stoneville 213	Other	Total
No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Arizona:</u>											
Maricopa	40	181,613	-	5	88	-	*	7	-	-	*
Pima	7	18,940	3	-	45	-	*	2	45	5	100
Pinal	34	168,296	-	-	86	*	2	*	12	-	100
Yuma 1/	4	11,153	-	-	76	-	10	-	14	-	*
Classing Office Total	85	380,002	*	2	85	*	1	*	2	10	*
											100

1/ A portion of this county is served by El Centro Classing Office.

* Less than 0.5 percent.

Table 28. Fresno Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971 Ginnings	Acala SJ-1	Acala 4-42	---	---	---	---	---	---	Other	Total
No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>California:</u>												
Fresno	69	288,698	95	5	-	-	-	-	-	-	-	100
Kings 1/	8	40,173	96	4	-	-	-	-	-	-	-	100
Madera	12	42,354	98	2	-	-	-	-	-	-	-	100
Merced	9	54,367	94	6	-	-	-	-	-	-	-	100
Tulare 1/	6	31,033	75	25	-	-	-	-	-	-	-	100
Classing Office Total	104	456,625	94	6	-	-	-	-	-	-	-	100

1/ A portion of this county is served by Bakersfield Classing Office.

Table 29. Bakersfield Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971 Ginnings	Acala SJ-1	Acala 4-42	---	---	---	---	---	---	---	---	---	---	---	---	Other	Total
No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
<u>California:</u>																		
Kern	51	351,289	98	2	-	-	-	-	-	-	-	-	-	-	-	-	100	
Kings 1/	14	127,766	100	-	-	-	-	-	-	-	-	-	-	-	-	-	100	
Tulare 1/	27	114,686	90	10	-	-	-	-	-	-	-	-	-	-	-	-	100	
Classing Office Total	92	593,741	97	3	-	-	-	-	-	-	-	-	-	-	-	-	100	

1/ A portion of this county is served by Fresno Classing Office.

Table 30. El Centro Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1972

State and County	Gins	1971 Ginnings	Delta pine	Delta pine	Stone-ville	---	---	---	---	---	---	---	---	---	---	---	Other	Total
No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
<u>California:</u>																		
Imperial	11	46,203	61	26	13	-	-	-	-	-	-	-	-	-	-	-	100	
Riverside	5	23,197	93	-	7	-	-	-	-	-	-	-	-	-	-	-	100	
Total	16	69,400	72	17	11	-	-	-	-	-	-	-	-	-	-	-	100	
<u>Arizona:</u>																		
Yuma 1/	8	51,102	75	20	5	-	-	-	-	-	-	-	-	-	-	-	100	
Total	8	51,102	75	20	5	-	-	-	-	-	-	-	-	-	-	-	100	
Classing Office Total	24	120,502	74	18	8	-	-	-	-	-	-	-	-	-	-	-	100	

1/ A portion of this county is served by Phoenix Classing Office.

Table 31. Estimated percentage of American Pima cotton acreage planted to specified varieties, by states, 1968-1972

State and Year	A P ginnings	Pima S-1	Pima S-2	Pima S-3	Pima S-4	Pima Stroman Select	Other	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
Arizona								
1968	44,267	-	18	9	73	-	-	100
1969	35,892	-	5	9	86	-	-	100
1970	27,965	-	11	4	85	-	-	100
1971	42,299	-	17	6	77	-	-	100
1972	-	-	8	3	89	-	-	100
California								
1968	785	-	-	-	100	-	-	100
1969	1,695	-	-	-	100	-	-	100
1970	-	-	-	-	-	-	-	-
1971	-	-	-	-	-	-	-	-
1972	-	-	-	-	-	-	-	-
New Mexico								
1968	6,703	11	41	37	4	6	1	100
1969	6,456	1	41	42	14	2	-	100
1970	6,348	-	13	46	33	8	-	100
1971	11,249	1	18	18	63	-	-	100
1972	-	-	7	15	78	-	-	100
Texas								
1968	26,427	6	62	23	8	-	1	100
1969	32,795	2	45	29	24	-	-	100
1970	22,825	*	9	8	83	-	-	100
1971	42,359	*	9	13	78	-	-	100
1972	-	-	6	3	91	-	-	100
United States								
1968	78,182	3	38	17	41	1	*	100
1969	76,838	1	22	19	58	*	-	100
1970	57,138	*	10	9	80	1	-	100
1971	95,907	*	14	10	76	-	-	100
1972	-	-	7	4	89	-	-	100

* Less than 0.5 percent.

Table 32. Estimated percentage of American Pima cotton acreage planted to specified varieties, by classing office territories, crop of 1972

Classing office territory and County	Gins	1971	Pima S-2	Pima S-3	Pima S-4	---	Other	Total							
		A P ginnings													
<u>El Paso territory</u>															
<u>Arizona:</u>															
Cochise	1	3,600	5	21	74	-	-	100							
Graham	2	11,389	5	5	90	-	-	100							
Total	3	14,989	5	9	86	-	-	100							
<u>New Mexico:</u>															
Dona Ana	5	6,905	11	20	69	-	-	100							
Luna	2	4,344	-	7	93	-	-	100							
Total	7	11,249	7	15	78	-	-	100							
<u>Texas:</u>															
El Paso	9	29,720	2	4	94	-	-	100							
Hudspeth	1	667	39	-	61	-	-	100							
Total	10	30,387	3	4	93	-	-	100							
Classing Office Total	20	56,625	4	7	89	-	-	100							
<u>Carlsbad territory</u>															
<u>Texas:</u>															
Reeves	2	11,972	15	-	85	-	-	100							
Total	2	11,972	15	-	85	-	-	100							
<u>Phoenix territory</u>															
<u>Arizona:</u>															
Maricopa	7	9,056	-	-	100	-	-	100							
Pima	3	4,387	14	-	86	-	-	100							
Pinal	5	6,620	30	-	70	-	-	100							
Yuma	1	7,247	-	-	100	-	-	100							
Total	16	27,310	9	-	91	-	-	100							

* Less than 0.5 percent.



